

Brimpton Parish Council - Action Tracker October 2023					
Date of original minute	Minute Ref	Description	Action	Current Status (Ongoing/Completed/P ending)	Latest update
4/7/23	53.3	Trees and bushes around Solar Farm in poor condition	Clerk	ongoing	Clerk attended a call with Wise Energy on 6th July. They agreed that there is an issue and accept their responsibility to ensure that there is adequate screening. They are going to carry out an assesement and come back to the Parish Council with a plan. Clerk has chased again.Sept/23 person dealing with issue was on holiday. Chasing for another update and have sent more photos provided by a resident. Oct/23 - still no update even though chased again. Should issue be reported to planning enforcement ?
04/07/2023	48/23	Commemorative Events for 80th Anniversary of D-Day landings	JH	ongoing	Mr. Hicks to seek volunteers to organise events. Sept/23 - Working group set up and reporting to Parish Council monthly.
04/04/2023	29.3	To consider installing a memorial for the Late Queen	PB/Clerk	ongoing	The proposal is to place a granite stone memorial into the path which runs up to the War Memorial.Mr. Bassil to provide quotes and more details. Clerk to check with West Berkshire Council whether CIL could be used to purchase a memorial stone. Clerk has emailed WBC CIL team but no reply yet. July 23- Deposit has been paid for the new stone memorial. Mr Dolphin circulated the advice from the War Memorial Trust regarding cleaning and it was agreed not to do any cleaning at this time. Aug/23 - PC agreed to go ahead and deposit paid. Sept/23 - Mr. Bassill liasing with supplier. Oct/23 it was agreed to delay installation and unveiling ceremony until Spring 24

7/2/23	1/23	Tankers in Brimpton Road	Clerk	ongoing	Clerk raised a case with Thames Water about the poor parking and damage to verge. Case raised under reference 33504111 Has been escalated to the Customer Liaison team Apr/23 - Still no official response from Thames Water. Clerk to chase again June/23 - Thames water have closed the case as they say remedial works are complete. July/23 - it doesn't look as though any work has been done. Mr. Hicks has taken photos and these have been sent to Thames Water. Aug/23 - Thames Water have reopened the case 33504111 and assigned a customer service agent to it. She is chasing for an update on the verges and has promised an update by 8th August. Sept/23 - Mr. Bassil and Clerk met with Thames Water. They explained that the pumping station overflows in times of high rainfall. They have investigated the issue but have not been able to resolve it. It was agreed that the gates into the site would be fixed and they would look at what could be done to repair the damage to the verge but unless root cause could be resolved the problem would probably happen again this winter. Clerk waiting for an update from their customer service representative with an update on the agreed actions. Oct/23 - Clerk received text promising an update by 10th October.
6/12/22	133.2/22	Improvement work to land at rear of hall	JD	ongoing	Mr Dolphin to obtain quotes to level the land at the rear of the hall. July/23 - A volunteer is going to roll the land FOC. If this does not improve the situation quotes will be sought.
06/12/2022	129.1	Footpath BRIM9/2 request to move	JD	Ongoing	Mr. Dolphin to ask the landowner their opinion of the proposal to move the footpath to be around the field rather than across it. April/23 - is this still ongoing Aug/23 - Mr Dolphin is still discussing this with Wasing.

03/05/2022	56.1/22	SID results from Wasing Road	Clerk	Ongoing	<p>Clerk has contacted WBC to ask if they will carry out a Community Speedwatch session in Wasing Road. July/22. WBC to do a CSW session in Wasing Road. Waiting for results. Aug/22 - WBC have got approval from TVP to monitor at this location but want to wait until schools are back to do the monitoring. Oct/22 - Clerk has chased WBC again about this and they have also agreed to use their sentinel equipment in Brimpton Road. Nov/22 - WBC have used Sentinel in Wasing Road but only caught one speeder between 8am and 9am. He has agreed to do the monitoring again. Clerk has asked again if he can also do Brimpton Road. Feb/23. Clerk has asked for an update. WBC have said they need to wait until the mornings are lighter April/23 Clerk to chase with WBC again but maybe better to wait until after Easter. Jul/23 - WBC did some monitoring in Wasing Road but didn't catch any speeders. Aug/23 - Clerk will put SID up in Wasing Road again and try to identify when it would be best to monitor. Sept/23 - SID could not be used in Wasing Road because the hedges are very overgrown. Will have to try again in November.</p>
02/03/2021	30.3/21	Flooding on Brimpton Road near Willow Wands	Clerk	Ongoing	<p>Clerk raised a case on 3rd March. Ref 193427 but did not receive any response. Chasing email sent. May 21 - Enquiry was forwarded to the Drainage and Flood Risk team but still no response has been received. Clerk chased again. June 21 - West Berks have inspected the problem and instructed contractors to clear the drainage channel. Estimated completion date by end of May. July/21 Clerk has asked West Berks whether this work has been done yet. Aug/21 - Chased again. Work may have been done but WBC have not informed us. Sept/21 - some work was done to clear drainage channels by Mr. Bassil believes it was the wrong location. Need to arrange site meeting with West Berks. Nov/21 site visit held with West Berkshire drainage engineer. Major work would be needed to resolve problem. Waiting to hear back from West Berks whether this will be added to their works programme Dec/21 - Mr. Bassil sent photos of the flooding. Clerk has chased via email but no response yet. Jan/21 - WBC have confirmed that the job will be added to the list of drainage works for 2022/2023 Oct/22 - Clerk sent email to WBC asking for an update but no response. Jul/22 - Clerk has sent an email to WBC asking if this is still in work programme but did not receive a response. Aug/23 - still no response from WBC Sept/23- Clerk sent background information to District Cllr Boeck and asked if he could obtain an update from the WBC officers.</p>

07/02/2023	4/23	Flooding at Able Bridge	Clerk	Complete	Mrs Cowdery had spoken with WBC drainage department about the gulleys at Able Bridge. Although they had done some remedial work, the gulleys still need clearing. Clerk has raised a case and WBC have said this will be a priority in the next financial year. They have also increased the frequency of cleaning for these gulleys to annual. April/23 - Complete
07/02/2023	7/23	Litter pick On Brimpton Lane and Brimpton Road	Clerk	Complete	Clerk has raised a case with WBC requesting a litter pick along Brimpton Lane and Brimpton Road as this is too dangerous for the public to do. A case has been logged with the Waste team. April/23- waiting a response from the waste team June/23 - litter pick was done by WBC
02/08/2022	89.2/22	Blacknest Lane Nameplate in Hampshire	Clerk	Completed	Clerk has raised a case with Basingstoke and Deane Borough Council to request a Blacknest Lane Street Nameplate at the Hampshire end of the road. reference number is 2605814. It will take 6 to 8 weeks if they decide to grant this request. Feb/23 - no response was ever received from B&DBC. Clerk has chased again. Mar/23 - Clerk has given B&D a more precise location for the sign and they have given a forecast date of April for the new sign to be installed. April/23 sign should be installed this month. June/23 new sign installed.
1/11/22	121/22	Hall Solar Panel improvements	JD	Completed	It was agreed that the Parish Council would contribute up to £10,000 of CIL funding towards the project to improve the solar panels at the hall including installing batteries. Mr Dolphin is trying to obtain quotations for the work but this is proving difficult. April/23 Mr. Dolphin has been contacted by a company who would be willing to install batteries and is waiting for more details July/23 - action closed as this is no longer required
6/9/2022	100.2/22	Replacement of noticeboards in Brimpton Common	Clerk	Completed	Clerk has obtained quotes for consideration at the October meeting. Nov/22 Order made with chosen contractor but unfortunately the maker has broken their arm so there will be a considerable delay to the order. Land owner has given permission for noticeboard to be changed. Feb/23 - Supplier is now working again and the order has been confirmed, forecasting completion by August 23 June/23 - new boards expected this month. July/23 - new boards installed.
4/7/23	52/23	W.Berks Winter Highway Maintenance plan	Clerk	completed	The Parish Council agreed to request that clearance of the footway in Brimpton Lane is extended to include the section from War Memorial to junction with Wasing Road. Also to request that footway along Brimpton Road is included in the clearance plan.

1/8/23	55/23	Broken signs in Brimpton Common	Clerk	Completed	Clerk chased WBC for an update on the broken 40mph speed repeater sign and School sign near The Hurst. They responded that it should be resolved within 28 days (response received on 7th August) Signs have been replaced.
4/7/23	53.2	Joint parishes meeting with Thames Valley Police	Clerk	Completed	Clerk has contacted Woolhampton, Aldermaston, Padworth and Beenham. They are interested in a meeting and Clerk will now seek a suitable venue and date. Sept/23 - Meeting scheduled for 29th September